sys com tec Distribution AG

Raiffeisenallee 8
82041 Oberhaching bei München

Telefon: +49 89 666 109 330
Fax: +49 89 666 109 339

Email: post@syscomtec.com
Web: www.syscomtec.com

Hardware that's designed to protect
Stay in control

Offer customers peace of mind with the APPC-10SLBe

The new APPC-10SLBe is here. It's designed to perform 24/7. It's designed to seamlessly run every solution and application imaginable. And it's designed to deploy your favorite setup with apps available in the Google Play Store. Your customers can enjoy peace of mind, knowing that the device is secured with Google Play Protect. The best thing? It's all possible in the blink of an eye.*

✓ **10" Panel PC**

✓ **Android 11 with Google Mobile Services**

✓ **Secured with Google Play Protect**

The APPC-10SLBe is designed for enterprise solutions, while it's affordable for every type of customer that wants to stay secure. Get in touch with sales@prodvx.com to learn more.

comes with Google apps

PRODVX | ALWAYS ON

The APPC-10SLBe is on stock and readily available

Technical details

APPC-10SLBe

Panel	Panel Size & Type	10.1" TFT LCD IPS
	Resolution & Aspect Ratio	1280 x 800, 16:10 wide
	Backlight & Contrast Ratio	Edge-LED backlight, 800 : 1
	Brightness	500 cd/m²
	Viewing Angle	H 160° / V 160°
	Touch Type	10 point touch projected capacitive
System	CPU	RK3399 (Dual Core Cortex A72 with Quad Core A53)
	GPU	MALI T860MP4 / 3D Graphic Engine (4K)
	System Memory	4 GB DDR4 SDRAM
	Internal Storage	16 GB eMMC Flash
	External Storage	SD-Card Slot (door)
	OS	Android 11 with Google Mobile Services
	LED Light Bar	Surround LED Bar (full RGB)
	I/O Ports	12 V DC-IN,3.5 mm audio-out,HDMI, Micro-USB, RJ45,USB-A
	Pogo Pins	YES (bottom/left/right)
	Network LAN RJ45	10/100/1000 Mbps LAN
	Integrated Module	NFC Module (NXP PN553)
	Wi-Fi & Bluetooth	802.11 a/b/g/n, BT 4.2
	Power over Ethernet (PoE)	IEEE 802.3at (PoE+)
Physical	Housing & Color	Plastic, Black
	Weight	650 g
	Speakers	2 x 2 W
	Dimensions	256 x 181 x 27 mm
	Mounting / VESA	VESA 75
	Power Supply	12 V / 2 A (EU, UK, US)
	Power Usage	10 ~ 20 Watt
Other	Working Temp	0 ~ 40 degrees C
	Standard Warranty	3 years
	Certifications	FCC, CE, RoHS

Watch on youtube

PRO DVX | ALWAYS ON

Our promise

Digital communication with hardware you can always depend on

Besides being our slogan, 'Always On' also describes our products. And while we're Always On, our customers also benefit from the reduced energy consumption of our products. So, we offer our customers reliable and durable products that fit their corporate sustainability strategy.

Ever need support for our products? Don't worry – our Support department is Always On too!

PRODVX.COM

PRO DVX | ALWAYS ON

Reliable hardware performance based on years of experience and in-house development.

All hardware components come from the world's most trusted brands.

Our rigorous standards, guaranteed by the ProDVX Quality Assurance team, result in an extremely low RMA rate.

We back it up with (up to) 3 years warranty (extend it up to 5 years).